

Outremer 51

Nr. **4123**

Besichtigt von, visited by, visité par

Klaus Tietze

Schiffstyp modèle **version** Outremer 51

Werft chantier Outremer
boatyard

Konstrukteur architecte Ch. Barreau and F. Neuman
architect

Seriennr. n° dans la série N°40
boat number

Zu Wasser 1ère mise à l'eau 2016
launching year

Rumpf matériau coque GRP
hulls material

Deck matériau pont GRP
deck material

Rumpffarbe couleur coque White
hulls color

Deckfarbe couleur pont White
deck color

Flagge pavillon **flag** German

Preis prix € 895.000,--
price

HAUPTABMESSUNGEN GENERAL

LüA longueur ht **LOA** 15,27 m

BüA largeur **beam** 7,45 m

Tiefgang tirant d'eau **draft** 0,95 / 2,35 m

Leergewicht poids lège 9,9 t
empty weight

Verdrängung déplacement
displacement

Kiel système anti-dérive Daggerboards
keel system

Segelfläche surface au près 130 m²
winward sail surface

Kommentar zum Rigg
remarques gréement rigging comments

Alu mast+boom painted white / Bimini Top with side, front+aft shades / 6x Harken 50 performa winches incl. 2x 50.2 manual (mast), 2x 50.2 electric (roof), 2x 50.3 (3-speed) in cockpit / Helm position with JEFA steering wheel / Mechanic steering+2 carbon tillers with seats / 4 mooring lines+7 fenders / Rail protection / Skegs: saildrive protection



Liegeplatz visible à South of France, Mediterranean
lying at

☒ à flot / afloat im Wasser
☐ à terre / ashore an Land

MwSt. bezahlt TVA payée ☐ oui/yes ☒ non/no
VAT paid ja nein

RIGG GREEMENT RIGGING

gréement **rigging** Sloop
Rigg

Größ grand-voile 90 m² fully battened square head, Incidences Hydranet
mainsail

Genua voile d'avant 40 m² self-tacking jib, Hydranet
genoa

Spinnaker spinnaker 180 m² symmetrical

tourmentin
Sturmfock storm jib

tangon pole

Andere autres voiles 130 m² Gennaker, Incidences
Segel other sails 85 m² Code 0 black Kevlar, Incidences

Fock-
rollanlage +
Jib Furler
enrouleur
de foc

MASCHINENAUSRÜSTUNG MOTORISATION
ENGINES

ELECTRONIQUE
ELECTRONICS

Motortyp **marque** **make** Volvo D2-40 - Saildrive
Baujahr **année** **year** 2015
PS **puissance** **power** 2x 40 hp
Kraftstoff **carburant** **fuel** Diesel
Tank **réservoirs** **tanks** 2x 270 Liter
Letzte **dernière** **révision** May 2024
Wartung **last** **served**
Bemerkungen Maschine
remarques motorisation Triple-blade folding propellers
remarks engine
Bugstrahlruder
Propulseur d'étrave -
bowthruster

Log **loch speedo** **log** B&G H5000
Tiefenmesser
sondeur **depth find.** B&G H5000
girouette **wind dir.** B&G H5000
anémomètre **wind speed** B&G H5000
GPS B&G H5000
autre système **other syst.**
andere Systeme
Radio **radio** **radio** AV 750 Fusion + speakers + subwoofer
UKW VHF B&G
pilote automatique B&G H5000
Autopilot **auto pilot**
Radar **radar** B&G
lecteur de cartes B&G H5000
chart plotter
Navtex **navtex**
andere **autre**
other

SCHIFFSELEKTRIK ELECTRICITE
ELECTRICITY

remarques électronique
electronics remarks

Batterien **batteries** 4x Victron Energy 12V / 220Ah Gel Deep Cycle
Konverter **convertisseur** Mastervolt Combi M. 12V / 3000VA-100A 230V
inverter
panneaux solaires 560 W on davits
solar pannels
Lichtmaschine **alternateurs** 2x 115 Ah Volvo + 2 boosters (1 per engine)
alternators
Ladegerät **chargeur** 2
charger
groupe électrogène -
Generator **generator**
220V Stromkreis **circuit 220V** +

2 Safelink R10 AIS SRS

ANKER GESCHIRR MOUILLAGE
ANCHORING

Ankerwunsch Lewmar, electric
guindeau, windlass
Anker **nb d'ancres** +
nb of anchors
Anker type d'ancres 30 kg Spade, 60 m chain, 40 m warp
type of anchor

AN DECK SUR LE PONT
ON DECK

Gangway **passerelle** ☐ oui/yes ☐ non/no ☐ ?
gangway ja nein
Cockpittisch **table de cockpit** ☐ oui/yes ☐ non/no ☐ ?
cockpit table ja nein
coussins de cockpit ☐ oui/yes ☐ non/no ☐ ?
Cockpitpolster **cockpit cushions** ja nein
tente de cockpit ☐ oui/yes ☒ non/no ☐ ?
Cockpitpersenning **cockpit tent** ja nein
douche de pont ☒ oui/yes ☐ non/no ☐ ?
Decksdusche **deck shower** ja

DINGI ANNEXE DINGHY

Dingityp Highfield CL 340
type d'annexe dinghy
Material **matériau annexe**
Baujahr **année annexe**
Länge **longueur annexe**
Motor **moteur d'annexe** 20 hp Yamaha
engine
Davits **bossoirs** +

SCHIFFSSICHERHEIT SECURITE SAFETY

Unsinkbar insubmersible unsinkable	☒ oui/yes ja	☐ non/no nein	☐ ?
Fahrtgebiet nach CE Sailing area acc. CE	A		
Anzahl d. Personen nb.o.people cat. d'armement	8/10		
radeau de survie	-		
Rettungsinsel liferaft			
Rettungswesten gilets lifejackets	-		
S-Gurte harnais harnesses			
Lenzpumpen pompes de cales bilge pumps	manual electric		
danbuoy / lifesling	☒ oui/yes	☐ non/no	
Badeleiter échelle de bain boarding ladder	+		
Notausstieg panneaux de survie escape hatches	+		
Treibanker ancre flottante sea drogue			
Seenotfunkboje balise EPIRB	+		
Feuerlöscher extincteurs fire extinguishers	+		
Gasmelder détecteur de gaz gaz detector	-		
andere autre other			

Allgemeiner Kommentar commentaires généraux general comments

With the Outremer 51, the French shipyard takes a significant step toward creating an exceptional bluewater catamaran. Christophe Barreau's design offers one of the best compromises for performance, comfort, and ease of handling in long-distance cruising. Building on the experience with the Outremer 49, the Outremer 51 presents an optimized version. She features extended transoms, an improved salon layout, a larger cockpit table, and enhanced visibility for greater comfort and functionality. A robust new hardtop Bimini features a rigid central "catwalk" section for enhanced protection and stability, while the sides are made of canvas material for flexibility, better visibility, reduced weight, freedom of movement, and weather shielding. Thanks to her slim hulls and clean lines, she offers exceptional sailing performance with the perfect blend of stability and speed. The owner's version, with three cabins, has been sailed exclusively in Europe by its first owner. It has been regularly maintained directly by the shipyard, with necessary updates consistently carried out. Well cared for, the boat is currently located in France and is available for viewings and takeover.

For more information, just send us a message: info@cat-sale.de

Hinweis

Die angegebenen Daten sind nach bestem Wissen und Gewissen erstellt, beruhen aber zum größten Teil auf Angaben der Eigner. Für die Richtigkeit übernehmen wir keine Haftung. Mit der Annahme dieser Spezifikation erkennt der Empfänger an, dass ein eventueller Kauf des Bootes über die Firma **cat sale** abzuwickeln ist. Dem Käufer entstehen dadurch keine Mehrkosten.

SOUS LA FLOTTAISON BELOW THE WATERLINE UNTER DER WASSERLINIE

semelles de quille Kielschutz keel shoes	-
traitement anti osmose anti osmosis treatment	-
Osmosebehandlung	
Antifouling dernier antifouling Behandlung last date antifouled	+ (primer + 3 layers)
Trailer remorque trailer	-

AMENAGEMENTS AUSSTATTUNG LAYOUT

Zahl der Kabinen nombre de cabines nb of cabins	3
Zahl der Kojen nombre de couchettes nb of berths	3 double
Stehhöhe Brückendeck haut. d. la nacelle bridgedeck headroom	1,95 m
Höhe im Rumpf hauteur dans les coques hulls headroom	2,00 m
Herd réchaud cooker	3 burner gas stove
Backofen four oven	with oven
Druckwasser eau sous pression pressurised water	+
Warmwasser eau ch. hot water	40 Liter
Meerwasser eau de mer seawater pump	+
Frischwassertank réservoirs eau douce freshwater tanks	2x 190 Liter
Fenster Luken nb hublots ouvrants opening hatches	+
dessalinisateur water maker Seewasseraufbereiter	100 Liter / h
Kühlschrk, Tiefkühlfach refregirator, freezer	2x fridge (1 offers option as a freezer)
Dusche douches showers	2
WC	2 Electric
cuve de rétention Fäkalientank holding tank	2x 45 Liter
Anzl. der 220V Steckd. nb prises 220V nb of 220V sockets	+
Heizung chauffage heating system	9 kW 6 aerotherms
Air condition climatisation	-
Radio, Video	+
autres éléments Anderes other	3 kg washing machine, microwave

Kommentar zur Einrichtung remarques aménagements layout comments

Blinds + mosquito screens / Courtesy LEDs in transoms / Cockpit cushions + cockpit back cushions / Convertible Saloon table with mattress / External blinds Batyline / 5 USB outlets pack / Large top-loader refrigerator and a second fridge with an optional freezer function (12V 90 L freezer)